



Hematology Clinical Chemistry Analyzer H-7021

Model H-7021



Technical Specifications

Model	H-7021
Automatization	Fully automatic
Throughput	60 tests/hr
Parameters	WBC, LY, MO, GR, LY%, MO%, GR% RBC, HCT, MCV, RDW-SD, RDW-CV, MCH, MCHC PLT, MPV, PCT, PDW, HGB WBC histograms, RBC histograms, PLT histograms
Measuring Principle	Electro-impedance, photometric analysis
Sample Volume	10ul (whole blood), 20ul (prediluted blood)
Storage	200,000 results including histograms
Display	LCD displaying all the reading results of sample
Printer	Built-in thermal printer or interface to external printer
Data Input	keypad (mouse and keyboard available)
Output	RS-232, USB, Internet access, available for LIS system
QC	QC Program calculates X, SD, CV%, saves data
Language	English, other languages on request
Power Supply	AC110V/ 60Hz or 220V/ 50Hz
Dimensions	43cm x 32cm x 50.5cm
Weight	20.0Kg

*H-Vet is specially designed for veterinary clinic use, with 14 species: rat, mouse, rabbit, dog, cat, pig, cow, goat, sheep, horse, camel, primate, ferret and so on.

Linearity Range

WBC	0.0-99.9 ($\times 10^9/L$)
RBC	0.0-9.9 ($\times 10^{12}/L$)
HGB	0.0-300 (g/L)
PLT	0-999 ($\times 10^9/L$)

Accuracy(CV%)

WBC \leq 2.0%	RBC \leq 1.5%	PCT \leq 3.0%
PLT \leq 4.0%	HGB \leq 1.5%	MPV \leq 3.0%
HCT \leq 2.0%	MCV \leq 1.0%	PDW \leq 3.0%
MCH \leq 2.0%	MCHC \leq 2.0%	

Features

- Easy operation
- Carry-over prevented by automatic probe interior and exterior cleaning
- Both whole blood test mode and prediluted blood test mode available
- Automatic self-diagnosing and alarm function
- Internal real-time monitoring system
- Clog prevention and maintenance function
- Automatic 24 hours standby function
- Multiple report formats available
- Free cyanide reagent

LABOMED

921 S La Cienega Blvd. Suite A, Culver City, CA 90232 U.S.A
TEL (310)202-0814 FAX (310)202-7286

www.labomed.com
Email: spectro@labomed.com